

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application. Kindly cancel Claim 21, 26, 28 and 29. Kindly amend Claims 22-24, 27, 30-32 and 66 as follows.

LISTING OF CLAIMS:

1-21. (Cancelled)

22. (Currently Amended) The latch according to Claim 69 [[21]], wherein said base surface is arcuate along both a longitudinal and lateral axis.

23. (Currently Amended) The latch according to Claim 69 [[21]], wherein one of said flanges including a cut-out enhancing coupling with said rails.

24. (Currently Amended) The latch according to Claim 69 [[21]], wherein said latch including indicia indicating a locked and unlocked position.

25. (Original) The latch according to Claim 24, wherein said latch includes a second indicia indicating direction of movement.

26. (Cancelled)

27. (Currently Amended) The latch according to Claim 69 [[26]], wherein said first member providing rigidity to said latch.

28. (Cancelled).

29. (Cancelled).

30. (Currently Amended) The latch according to Claim 69 [[21]], wherein said body having an arcuate outer surface enabling manipulation by a user.

31. (Currently Amended) The latch according to Claim 69 [[26]], wherein said second member is a soft material providing a gripping surface.

32. (Currently Amended) The latch according to Claim 69 [[26]], wherein said first member being formed from polypropylene and said second member formed from krayton.

33-65. (Cancelled)

66. (Currently Amended) The latch according to Claim 70 [[29]] , wherein one of said indicia is in a contrasting color with respect to the other.

67. (Original) The latch according to Claim 66, wherein said first member indicia being yellow and said second member including said second indicia being black.

68. (Cancelled)

69. (Previously Presented) A latch for a tool container, comprising:

a body;

a channel in said body for receiving a rail, said channel defined by an arcuate base surface in said latch, two side walls extending from said base and two flanges extending from said side walls towards one another; and

said latch including a first member covered by a second member, a portion of said first member extending through said second member providing an indicia member and said portion having a surface substantially flush with said second member.

70. (Previously Presented) The latch according to Claim 69, wherein said second member including a second indicia member.